

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services - Irrigation & CAD Department - Disciplinary proceedings initiated against Sri M.Chandra sekhar, Deputy Executive Engineer, along with others on the irregularities in the execution of works of Yogivemana Reservoir Project (Maddileru) – Case entrusted to the COI - Inquiry report submitted - Imposing a punishment of withholding one annual grade increment without cumulative effect – orders - Issued.

---

**IRRIGATION & CAD (SER.X-1) DEPARTMENT**

**G.O.Rt.No. 975**

**Dated: 11.10.2013**

**Read the following:**

1. From the CE, Medium Irrigation, Lr.No. DCE3/OT-M2/AEE-3/2341/ 96-Vol.VI, dt. 11.09.2004 and 24.09.2004
2. G.O.Rt.No.1413, I & CAD(Ser.x.1) Dept., dt. 23.09.2005.
3. WSD of Sri M. Chandra sekhar, DEE & charged officer, dt. 17.10.2005
4. G.O.Rt.No.947, I & CAD(Ser.x.1) Dept., dt. 26.6.2006
5. Govt.Memo.No.24985/SerX.1/2004- 16,Dated: 26-06-2006
6. G.O.Rt.No.541, I & CAD(Ser.x.1) Dept., dt. 28.4.2008
7. From the COI, D.O.Lr.No.669/COI-CK/A5/2008,dt.25.8.2008
8. Govt.Memo.No.24985/SerX.1/2004- 21, Dated: 24.09.2008
9. Reprn. of Sri M.Chandra sekhar , DEE, dt. 06-11-2008.
10. From the SE, IC, Anantapur Lr.No. Camp/1, dt. 11.04.2012.
11. Reprn. of Sri M.Chandra sekhar the then DEE and EE, SRBC Division No.II, Panyam, dt. 04-05-2013

&&&

**ORDER:**

It was brought to the notice of the Government that certain irregularities were took place in execution of works of Yogi Vemana Reservoir Project, across Maddileru River near Adavi Brahmanapalli village in Mudigubba Mandal of Anantapur district. It was reported that excessive seepage was occurring in the Drainage Gallery of the Spill way, and that the Bucket portion got damaged due to poor quality of construction. To look into these issues, Government have constituted an Expert committee in G.O.Rt.No.58, I&CAD (PW.NAB) Dept., dt.04.02.2002. The committee submitted its report, making certain recommendations. Based on these recommendations, the Chief Engineer, Medium Irrigation has initiated rectificatory action, and also submitted the list of officers responsible for the deficiencies pointed out by the Expert Committee.

2. After examination of the entire matter, disciplinary action has been initiated against all the officers involved in this case, duly serving Articles of Charges including Sri M.Chandra sekhar, Deputy Executive Engineer. The Charged Officers have submaitted their WSDs.

3. After careful examination of the WSDs of all the Charged Officers, the case has been entrusted to the COI for conducting a detailed inquiry in to the charges framed against them.

4. In the reference 7<sup>th</sup> read above, the COI has furnished his Inquiry Report, stating that the charges framed against Sri M. Chandra sekhar, Deputy Executive Engineer are held as proved. In the reference 8<sup>th</sup> read above a copy of the the inquiry report has been communicated to Sri M. Chandra sekhar, Deputy Executive Engineer, with a direction to submit his explanation if any on the findings of the inquiry officer.

//2//

5. In the reference 9<sup>th</sup> read above, Sri M. Chandra sekhar, Deputy Executive Engineer has submitted his explanation on the findings of the Inquiry Officer, with a request. to exempt him from the list of charged officers and exonerate from the charges .

6. In the reference 11<sup>th</sup> read above, Sri M. Chandra sekhar, the then Deputy Executive Engineer and presently working as Executive Engineer , S.R.B.C. Division No.II, Panyam, has submitted another representation stating that he was incharge of entire Kurnool district works comprising minor, Medium and restoration of MI sources and rehabilitation of minor and medium irrigation works and held additional charge of Anantapur district for short period from 01.07.1998 to 19.08.1998. During his additional charge period, he has inspected the stage-II work of the above said project only 2 time . The CO has requested the Govt. to exempt from the list of charged officers and exonerate from the charges .

7. After careful examination of the entire matter, it has been decided to impose a punishment of withholding of one annual grade increment without cumulative effect against Sri M. Chandra Sekhar, Deputy Executive Engineer for the irregularities committed in execution of works of Yogi Vemana Reservoir Project (Maddileru), Anantapur. Accordingly, Government hereby order to impose a punishment of withholding one annual grade increment without cumulative effect on Sri M. Chandra Sekhar, Deputy Executive Engineer, for the irregularities committed in execution of works of Yogi Vemana Reservoir Project (Maddileru), Anantapur.

8. The Engineer-In-Chief (Admn.Wing) I & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

ADITYA NATH DAS  
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-In-Chief (Admn.Wing),  
I& CAD Department, Hyderabad  
Sri M. Chandra sekhar, Deputy Executive Engineer  
**through** the Engineer-In-Chief (Admn.Wing),  
I& CAD Department, Hyderabad  
SF/SC

//FORWARDED; BY ORDER//

SECTION OFFICER